

Work big. Pack small.



GaN Chargers

The future of charging is here

Range Overview

Tired of lugging multiple bulky chargers around to recharge your array of power-hungry digital devices? Or looking to purchase a single charger that can fast-charge multiple devices (including your laptop) simultaneously? Then you should consider a Verbatim GaN charger.

If you're looking to future-proof your charging setup, Verbatim's range of GaN chargers is the perfect choice. Featuring compact sizes and increased power output enabling you to fast charge multiple devices simultaneously, they are compatible with the latest digital devices and come with a host of features that make them the ultimate charging solution.

Available in the following models:
2-Port 35W | 3-Port 65W | 4-Port 100W



Verbatim's GaN Chargers feature housing constructed from 95% PCR (Post-consumer recycled) plastic and come in packaging that is 100% plastic free, supporting Verbatim's global commitment to a healthier planet.

[verbatim.com](https://www.verbatim.com)



Features

- Charge multiple devices simultaneously
- Compact size
- Faster, more efficient charging
- Built-in safety features, including over-current, over-voltage, short circuit and over-temperature protection.
- 95% PCR plastic housing
- 100% plastic-free packaging



Supports PD & QC 3.0
Fast Charging



Charge multiple
devices



Compact design



Cooler, safer charging



Live your life
fully charged.

2 Port GaN Charger 35W

SKU 67015

Verbatim's 35W GaN Wall Charger combines one USB-C PD port and one USB-A QC 3.0 port in a sleek, palm sized design. Ideal for the office, home or travelling to power your tablet, smartphone, gaming devices, and more.

This product's housing is constructed with 95% post-consumer recycled plastic. This recycling process reduces the need for virgin plastic production and diverts plastic waste from landfill and oceans, contributing to a more sustainable and eco-friendly approach to plastic use. In addition, the packaging is 100% plastic free, thus supporting Verbatim's global commitment to a healthier planet.

- Charge 2 devices simultaneously
- Ultra compact size: 67.5 x 39.2 x 39.2mm
- Maximum output of 35W
- Equipped with 1 x USB-C® PD 3.0 up to 35W and 1 x USB-A QC 3.0 up to 18W
- Supports super-fast charging with USB Power Delivery 3.0, PPS, and Quick Charge 3.0
- Programmable Power Supply (PPS) technology delivers the right amount of power needed for the ideal charge
- 95% PCR Plastic Housing
- 100% Plastic-Free Packaging
- Made with high-quality, flame-resistant materials and featuring four safety protection systems, including over-current protection, over-voltage protection, short circuit protection, and over-temperature protection



General Information	
Product dimensions	67.5 x 39.2 x 39.2mm
Product weight	57g
Material	95% Post consumer recycled plastic, PC flame-resistant material
Colour	White
Pack Contents	1 x GaN Charger
Warranty	12 months

2 Port GaN Charger 35W

SKU 67015



Specifications	
Input	100-240V AC 50/60Hz 0.8A (Max.)
Output	USB-C PD 3.0 (PPS Supported): 3.3-5.9V \Rightarrow 3A, 3.3-11V \Rightarrow 3A, 5V \Rightarrow 3A, 9V \Rightarrow 3A, 12V \Rightarrow 2.92A, 15V \Rightarrow 2.33A, 20V \Rightarrow 1.75A (35W max) USB-A QC 3.0: 3.6 - 6.5 V \Rightarrow 3 A, 6.5 - 9 V \Rightarrow 2 A, 9 - 12 V \Rightarrow 1.5 A (18 W Max)
Total Output	35W Max.
Operating Temperature	-5°C ~ 40°C
Storage Temperature	-20°C ~ 70°C

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
67015	GaN Charger 35W 2 Port PCR - White	4895117970157	14895117970154	24895117970151

Logistic Information	
Pack dimensions LxWxH	105 x 131 x 42mm
Pack weight	96g
Inner carton dimensions LxWxH	225 x 120 x 115mm
Inner carton weight	0.7 kg
Inner carton quantity	5
Outer carton dimensions LxWxH	48 x 27 x 26cm
Outer carton weight	6.5kg
Outer carton quantity	40
Layers per pallet	6
Cartons per layer	8
Units per pallet	1920pcs



verbatim.com

Publication date: 06-06-2024
© 2024 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorised use strictly prohibited.
Specifications are subject to change without prior notice.



3 Port GaN Charger 65W

SKU 67016

Verbatim's 65W GaN Wall Charger combines two USB-C PD ports and one USB-A QC 3.0 port in a sleek, palm sized design. Ideal for the office, home or travelling to power your laptop, tablet, smartphone, gaming devices, and more.

This product's housing is constructed with 95% post-consumer recycled plastic. This recycling process reduces the need for virgin plastic production and diverts plastic waste from landfill and oceans, contributing to a more sustainable and eco-friendly approach to plastic use. In addition, the packaging is 100% plastic free, thus supporting Verbatim's global commitment to a healthier planet.

- Charge 3 devices simultaneously
- Ultra compact size: 67.5 x 39.2 x 39.2mm
- Maximum output of 65W
- Equipped with 2 x USB-C® PD 3.0 up to 65W and 1 x USB-A QC 3.0 up to 30W
- Supports super-fast charging with USB Power Delivery 3.0, PPS, and Quick Charge 3.0
- Programmable Power Supply (PPS) technology delivers the right amount of power needed for the ideal charge
- 95% PCR Plastic Housing
- 100% Plastic-Free Packaging
- Made with high-quality, flame-resistant materials and featuring four safety protection systems, including over-current protection, over-voltage protection, short circuit protection, and over-temperature protection

General Information	
Product dimensions	84.6 x 39 x 47mm
Product weight	110g
Material	95% Post consumer recycled plastic, PC flame-resistant material
Colour	White
Pack Contents	1 x GaN Charger
Warranty	12 months

3 Port GaN Charger 65W

SKU 67016



Specifications	
Input	100-240V AC 50/60Hz 1.5A (Max.)
Output	USB-C1/C2 PD 3.0 (PPS Supported): 3.3 - 11 V \Rightarrow 3 A, 5 V \Rightarrow 3 A, 9 V \Rightarrow 3 A, 12 V \Rightarrow 3 A, 15V \Rightarrow 3 A, 20 V \Rightarrow 3.25 A (65 W Max.) each USB-A QC 3.0: 4.5 V \Rightarrow 5 A, 5 V \Rightarrow 4.5 A, 9 V \Rightarrow 3 A, 12 V \Rightarrow 2.5 A, 20 V \Rightarrow 1.5 A (30 W Max.)
Total Output	65W Max.
Operating Temperature	-5°C ~ 40°C
Storage Temperature	-20°C ~ 70°C

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
67016	GaN Charger 65W 3 Port PCR - White	4895117970164	14895117970161	24895117970168

Logistic Information	
Pack dimensions LxWxH	110 x 131 x 42mm
Pack weight	150g
Inner carton dimensions LxWxH	225 x 120 x 120mm
Inner carton weight	0.95 kg
Inner carton quantity	5
Outer carton dimensions LxWxH	48 x 27 x 27cm
Outer carton weight	8.5kg
Outer carton quantity	40
Layers per pallet	6
Cartons per layer	8
Units per pallet	1920pcs



[verbatim.com](https://www.verbatim.com)

Publication date: 06-06-2024
© 2024 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorised use strictly prohibited.
Specifications are subject to change without prior notice.



4 Port GaN Charger 100W

SKU 66966

Verbatim's 100W GaN Wall Charger consolidates multiple chargers into one, combining two USB-C PD 100W ports, one USB-C PD 65W port and one USB-A QC 3.0 port in a sleek, palm sized design. Ideal for the office, home or travelling to power your laptop, tablet, smartphone, gaming devices, and more.

This product's housing is constructed with 95% post-consumer recycled plastic. This recycling process reduces the need for virgin plastic production and diverts plastic waste from landfill and oceans, contributing to a more sustainable and eco-friendly approach to plastic use. In addition, the packaging is 100% plastic free, thus supporting Verbatim's global commitment to a healthier planet.

- Charge 4 devices simultaneously
- Compact size: 110 x 61 x 49mm
- Maximum output of 100W
- 3 x USB-C PD 3.0 ports & 1 x USB-A QC 3.0 port
- PD1/PD2 ports support up to 100W, & PD3 supports up to 65W, when used alone.
- PD1 maintains a min. 45W or max. up to 65W, when used with other ports and provides stable & fast charging for most notebooks & tablets.
- 95% PCR Plastic Housing
- 100% Plastic-Free Packaging
- Over Current, Over Voltage, Short Circuit, Over Temperature protection

General Information	
Product dimensions	110 x 60.9 x 48.8mm
Product weight	226g
Material	95% Post consumer recycled plastic, PC flame-resistant material
Colour	White
Pack Contents	1 x GaN Charger
Warranty	12 months

4 Port GaN Charger 100W

SKU 66966



Specifications	
Input	100-240V AC 50/60Hz 1.5A (Max.)
Output	USB-C PD1/PD2 PD 3.0 (PPS Supported): 3.3-21 V ≍ 5 A, 5 V ≍ 3 A, 9 V ≍ 3 A, 12 V ≍ 3 A, 15 V ≍ 3 A, 20 V≍5 A (Max. 100 W) each USB-C PD3 PD 3.0 (PPS supported): 3.3-11 V ≍ 5 A, 5 V ≍ 3 A, 9 V ≍ 3 A, 12 V ≍ 3 A, 15 V ≍ 3 A, 20 V ≍ 3.25 A (Max. 65 W) USB-A QC 3.0: 4.5 V ≍ 5 A, 5 V ≍ 4.5 A, 5 V ≍ 3 A, 9 V ≍ 3 A, 12 V ≍ 2.5 A, 20 V ≍ 1.5 A (Max. 30 W)
Total Output	100W Max.
Operating Temperature	-5°C ~ 40°C
Storage Temperature	-20°C ~ 70°C

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
66966	GaN Charger 100W 4 Port PCR - White	4895117969663	14895117969660	24895117969667

Logistic Information	
Pack dimensions LxWxH	12.8 x 13.8 x 4.2cm
Pack weight	284g
Inner carton dimensions LxWxH	19 x 13 x 15cm
Inner carton weight	1.34kg
Inner carton quantity	4
Outer carton dimensions LxWxH	75 x 21.5 x 34.5cm
Outer carton weight	14.6kg
Outer carton quantity	40
Layers per pallet	5
Cartons per layer	7
Units per pallet	1400pcs



verbatim.com

Publication date: 04-07-2024
© 2024 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorised use strictly prohibited.
Specifications are subject to change without prior notice.