

# Work big. Pack small.



## Mini GaN Chargers

The future of charging is here

### Range Overview

Power up smarter with the new Verbatim Mini GaN Charger range - a compact yet powerful family of chargers designed for today's multi-device world. Featuring three models (65W, 100W and 140W), each unit delivers fast, efficient charging with cutting-edge Gallium Nitride (GaN) technology that runs cooler and is significantly smaller than traditional chargers. With an intuitive integrated display showing real-time charging performance, you'll always know exactly how much power is going where.

Whether you're charging a laptop, tablet, smartphone, or a mix of devices simultaneously, there's a Mini GaN Charger to suit every setup. All models support multiple power delivery standards like USB-C PD and Quick Charge, and include safety features such as overcurrent, overvoltage, overheating and short-circuit protection for peace of mind. With replaceable AU, EU, UK, and US plugs, these chargers are not only ideal for use at home and office, but also make the ultimate travel companion, ensuring you can charge all your devices anywhere in the world.

Available in the following models:

3-Port 65W | 3-Port 100W | 4-Port 140W

[verbatim.com](https://www.verbatim.com)




### Features

- 65W, 100W and 140W - three versatile power levels to match device needs
- GaN technology for high efficiency and cooler operation in a compact footprint
- Integrated touchscreen display for real-time wattage, port output, and charging status
- Multiple ports to charge up to four devices simultaneously (model dependent)
- Programmable Power Supply (PPS) and Power Delivery for smart, device-optimised fast charging
- Comprehensive safety protection
- Interchangeable AU/EU/UK/US adapters for travel
- Ideal for travel, home, and office - compact size makes it easy to pack and carry



Support PD & QC 3.0  
Fast Charging



TFT  
Display



Travel-ready  
Multi-plugs Included



## Mini GaN Charger 65W

SKU 30241

Delivering up to 65W of total power across three ports, this mini GaN wall charger is designed to charge your laptop, tablet, and smartphone.

The integrated touchscreen display shows real-time insight into the GaN Charger's performance. Switch between modes to view total wattage, individual port power output, total charging time, and charging status - Eco or Turbo Boost. The display can also be flipped, ensuring it's easy to read no matter how the charger is oriented in the socket.

With replaceable AU, EU, UK, and US plugs, it's the ultimate travel companion. Lightweight yet powerful, it adapts to your devices and your location with ease. Whether you're at home, in the office, or abroad, the Verbatim Mini GaN Charger with Display keeps all your essentials charged and ready.

### Features:

- Compact 3-port wall charger with USB-C® Power Delivery and Quick Charge 3.0
- Integrated touchscreen display shows real-time charging performance
- Display modes show individual port output, total output, charging status and charging time
- PPS (Programmable Power Supply) support for optimal charging efficiency
- Two USB-C PD 3.0 ports up to 65W each, one USB-A QC 3.0 port up to 20W
- Charge three devices simultaneously
- Powered by advanced GaN technology for compact size and reduced heat
- Interchangeable plugs (AU, EU, UK, US) for easy travel
- Multiple inbuilt safety systems



Support PD & QC 3.0  
Fast Charging



TFT  
Display



Travel-ready  
Multi-plugs Included



[verbatim.com](https://www.verbatim.com)

# 3 Port Mini GaN Charger 65W

SKU 30241



General Information			
Product dimensions	58 x 31 x 58mm		
Product weight	166g		
Material	PC flame-resistant material		
Colour	Black		
Input Plug Formats	US (Type A) / EU (Type C) / UK (Type G) / AU (Type I)		
Inbuilt Safety	Output short circuit protection, over-voltage protection, over-current protection, over temperature protection		
Certifications	CE/UKCA/FCC		
Storage Temperature	-25°C ~ 40°C		
Operating Temperature	0°C ~ 25°C		
Operating Humidity	20% ~ 80%		
Power			
Input	100-240V AC 50/60Hz 1.8A Max		
Total Output	65W Max.		
Charging Mode	USB-C: PD 3.0 (PPS); USB-A: QC 3.0, QC 2.0		
Storage Temperature	-25°C ~ 40°C		
Single Port Output			
USB-C1 Output PD 3.0 (PPS Supported)	5V-11V/4.5A, 5V-21V/5A, 5V/3A, 9V/3A, 15V/3A, 20V/3.25A (Max:65W)		
USB-C2 Output PD 3.0 (PPS Supported)	5V-11V/4.5A, 5V-21V/5A, 5V/3A, 9V/3A, 15V/3A, 20V/3.25A (Max:65W)		
USB-A Output QC 3.0	5V/3A, 9V/2.22A, 12V/1.67A, (Max:20W)		
Multi Port Output			
	USB-C1 PD 3.0	USB C2 PD 3.0	USB-A QC 3.0
USB-C1 + USB-C2	45W Max	20W Max	-
USB-C1 + USB-A	45W Max	-	20W Max
USB-C2 + USB-A	-	15W Max share	
USB-C1 + USB-C2 + USB-A	45W Max	15W Max share	



# 3 Port Mini GaN Charger 65W

SKU 30241



Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
30241	Mini GaN Charger 65W 3 Port with Display	023942302414	(02)00023942302414(37)06(91)864 (02)00023942302414(37)24(91)864	20023942302418 50023942302419


Logistic Information	
Pack dimensions LxWxH	110 x 55 x 116mm
Pack weight	290g
Inner carton dimensions LxWxH	355 x 125 x 140mm
Inner carton weight	1890g
Inner carton quantity (MOQ)	6
Outer carton dimensions LxWxH	375 x 275 x 305mm
Outer carton weight	8123g
Outer carton quantity	24
Layers per pallet	4
Cartons per layer	16
Units per pallet	1536pcs



## Interchangeable Travel Adaptors



## Display Modes



verbatim.com



## Mini GaN Charger 100W

SKU 30242

Delivering an impressive 100W total output, this mini GaN wall charger can power a laptop, tablet, and smartphone at once. Programmable Power Supply dynamically adjusts power output for maximum speed and safety across all connected devices.

The integrated touchscreen display shows real-time insight into the GaN Charger's performance. Switch between modes to view total wattage, individual port power output, total charging time, and charging status - Eco or Turbo Boost. The display can also be flipped, ensuring it's easy to read no matter how the charger is oriented in the socket.

With replaceable AU, EU, UK, and US plugs, it's the ultimate travel companion. Lightweight yet powerful, it adapts to your devices and your location with ease. Whether you're at home, in the office, or abroad, the Verbatim Mini GaN Charger with Display keeps all your essentials charged and ready.

### Features:

- Compact 3-port wall charger with USB-C® Power Delivery and Quick Charge 3.0
- Integrated touchscreen display shows real-time charging performance
- Display modes show individual port output, total output, charging status and charging time
- PPS (Programmable Power Supply) support for optimal charging efficiency
- Two USB-C PD 3.0 ports up to 100W each, one USB-A QC 3.0 port up to 30W
- Charge three devices simultaneously
- Powered by advanced GaN technology for compact size and reduced heat
- Interchangeable plugs (AU, EU, UK, US) for easy travel
- Multiple inbuilt safety systems



Support PD & QC 3.0  
Fast Charging



TFT  
Display



Travel-ready  
Multi-plugs Included




[verbatim.com](https://www.verbatim.com)

# 3 Port Mini GaN Charger 100W

SKU 30242



General Information			
Product dimensions	68 x 31 x 68mm		
Product weight	258g		
Material	PC flame-resistant material		
Colour	Black		
Input Plug Formats	US (Type A) / EU (Type C) / UK (Type G) / AU (Type I)		
Inbuilt Safety	Output short circuit protection, over-voltage protection, over-current protection, over temperature protection		
Certifications	CE/UKCA/FCC		
Storage Temperature	-25°C ~ 40°C		
Operating Temperature	0°C ~ 25°C		
Operating Humidity	20% ~ 80%		
Power			
Input	100-240V AC 50/60Hz 2.5A Max		
Total Output	100W Max.		
Charging Mode	USB-C: PD 3.0 (PPS); USB-A: QC 3.0, QC 2.0		
Storage Temperature	-25°C ~ 40°C		
Single Port Output			
USB-C1 Output PD 3.0 (PPS Supported)	5V-11V/4.5A, 5V-21V/5A, 9V/3A, 15V/3A, 20V/5A (Max:100W)		
USB-C2 Output PD 3.0 (PPS Supported)	5V-11V/4.5A, 5V-21V/5A, 9V/3A, 15V/3A, 20V/5A (Max:100W)		
USB-A Output QC 3.0	5V/3A, 9V/3A, 12V/2.5A, (Max:30W)		
Multi Port Output			
	USB-C1 PD 3.0	USB C2 PD 3.0	USB-A QC 3.0
USB-C1 + USB-C2	65W Max	30W Max	-
USB-C1 + USB-A	65W Max	-	30W Max
USB-C2 + USB-A	-	15W Max share	
USB-C1 + USB-C2 + USB-A	65W Max	15W Max share	



Up to **100W**

USB-C1 Port

Up to **100W**

USB-C2 Port

Up to **30W**

USB-A Port



# 3 Port Mini GaN Charger 100W

SKU 30242




Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
30242	Mini GaN Charger 100W 3 Port with Display	023942302421	(02)00023942302421(37)06(91)864 (02)00023942302421(37)24(91)864	20023942302425 50023942302426


Logistic Information	
Pack dimensions LxWxH	110 x 55 x 123mm
Pack weight	385g
Inner carton dimensions LxWxH	355 x 125 x 145mm
Inner carton weight	2458g
Inner carton quantity (MOQ)	6
Outer carton dimensions LxWxH	375 x 275 x 315mm
Outer carton weight	10402g
Outer carton quantity	24
Layers per pallet	4
Cartons per layer	12
Units per pallet	1152pcs



## Interchangeable Travel Adaptors



## Display Modes



verbatim.com



## Mini GaN Charger 140W

SKU 30243

Designed for maximum versatility, this mini GaN wall charger delivers up to 140W total output through its four ports. Power a laptop, tablet, and multiple mobile devices all at once. Programmable Power Supply technology lets the charger intelligently adjust output to each connected device for fast, safe, and efficient charging.

The integrated touchscreen display shows real-time insight into the GaN Charger's performance. Switch between modes to view total wattage, individual port power output, total charging time, and charging status - Eco or Turbo Boost. The display can also be flipped, ensuring it's easy to read no matter how the charger is oriented in the socket.

With replaceable AU, EU, UK, and US plugs, it's the ultimate travel companion. Lightweight yet powerful, it adapts to your devices and your location with ease. Whether you're at home, in the office, or abroad, the Verbatim Mini GaN Charger with Display keeps all your essentials charged and ready.

### Features:

- Premium 4-port GaN wall charger with three USB-C® and one USB-A port
- Integrated touchscreen display shows real-time charging performance
- Display modes show individual port output, total output, charging status and charging time
- PPS (Programmable Power Supply) support for optimal charging efficiency
- Total output up to 140W – perfect for laptops, tablets, and phones
- Charge four devices simultaneously
- Powered by advanced GaN technology for compact size and reduced heat
- Interchangeable plugs (AU, EU, UK, US) for easy travel
- Multiple inbuilt safety systems



Support PD & QC 3.0  
Fast Charging



TFT  
Display



Travel-ready  
Multi-plugs Included




[verbatim.com](https://www.verbatim.com)

# 4 Port Mini GaN Charger 140W

SKU 30243



General Information				
Product dimensions	71.5 x 36.5 x 71.5mm			
Product weight	353g			
Material	PC flame-resistant material			
Colour	Black			
Input Plug Formats	US (Type A) / EU (Type C) / UK (Type G) / AU (Type I)			
Inbuilt Safety	Output short circuit protection, over-voltage protection, over-current protection, over temperature protection			
Certifications	CE/UKCA/FCC			
Storage Temperature	-25°C ~ 40°C			
Operating Temperature	0°C ~ 25°C			
Operating Humidity	20% ~ 80%			
Power				
Input	100-240V AC 50/60Hz 2.8A Max			
Total Output	140W Max.			
Charging Mode	USB-C: PD 3.0 (PPS); USB-A: QC 3.0, QC 2.0			
Storage Temperature	-25°C ~ 40°C			
Single Port Output				
USB-C1 Output PD 3.1 (PPS Supported)	5V-11V/4.5A, 5V-21V/3A, 9V/3A, 15V/3A, 20V/5A, 28V/5A (Max:140W)			
USB-C2 Output PD 3.1 (PPS Supported)	5V-11V/4.5A, 5V-21V/3A, 9V/3A, 15V/3A, 20V/5A, 28V/5A (Max:140W)			
USB-C2 Output PD 3.0 (PPS Supported)	5V/3A, 9V/3A, 15V/2.65A, 20V/2A (Max:40W)			
USB-A Output QC 3.0	5V/3A, 9V/2A, 12V/2.5A, (Max:30W)			
Multi Port Output	USB-C1 PD 3.1	USB -C2 PD 3.1	USB-C3 PD 3.0	USB-A QC 3.0
USB-C1 + USB-C2	70W Max	70W Max	-	-
USB-C1 + USB-C3	70W Max	-	40W Max	-
USB-C1 + USB-A	100W Max	-	-	30W Max
USB-C2 + USB-C3	-	100W Max	40W Max	-
USB-C2 + USB-A	-	100W Max	-	30W Max
USB-C3 + USB-A	-	-	24W Max	
USB-C1 + USB-C2 + USB-C3	65W Max	45W Max	30W Max	-
USB-C1 + USB-C2 + USB-A	65W Max	45W Max	-	30W Max
USB-C1 + USB-C3 + USB-A	100W Max	-	24W Max	
USB-C2 + USB-C3 + USB-A	-	100W Max	24W Max	
USB-C1 + USB-C2 + USB-C3 + USB-A	65W Max	45W Max	24W Max	



Up to **140W**

USB-C1 Port

Up to **140W**

USB-C2 Port

Up to **40W**

USB-C3 Port

Up to **30W**

USB-A Port




# 4 Port Mini GaN Charger 140W

SKU 30243



Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
30243	Mini GaN Charger 140W 4 Port with Display	023942302438	(02)00023942302438(37)06(91)864 (02)00023942302438(37)24(91)864	20023942302432 50023942302433


Logistic Information	
Pack dimensions LxWxH	110 x 55 x 129.5mm
Pack weight	484g
Inner carton dimensions LxWxH	355 x 125 x 150mm
Inner carton weight	3062g
Inner carton quantity (MOQ)	6
Outer carton dimensions LxWxH	375 x 275 x 325mm
Outer carton weight	12827g
Outer carton quantity	24
Layers per pallet	4
Cartons per layer	12
Units per pallet	1152pcs



## Interchangeable Travel Adaptors



## Display Modes



verbatim.com