



Portable Monitor Range

For work. For play.

Range Overview

When you're on the move, working from a café, presenting in a boardroom, gaming on the go, or simply extending your screen at home, you need a monitor that keeps up. Verbatim's portable monitor range delivers high-definition displays, smart connectivity, and travel-friendly design so you can go further, stay out longer, and do even more.

Our portable monitors combine crisp Full HD displays, IPS technology, and wide viewing angles, ensuring your content always looks its best. Whether you're collaborating on documents, creating presentations, editing media, or simply streaming, the visual experience is sharp, clear, and immersive.

Beyond the display, our monitors are designed with real-world users in mind. From lightweight and ultra-slim options for frequent travelers to models with touchscreen capabilities for creative professionals, there's a solution for every workflow.

Whether you're a student, professional, creative, or gamer, Verbatim portable monitors offer the flexibility to adapt to your lifestyle. They let you transform any space into a productive, interactive environment, and with Verbatim's trusted quality and 2-year warranty, you can feel confident wherever you go.

[verbatim.com](https://www.verbatim.com)

Features

- Extra screen power - extend your workspace or entertainment with Full HD displays
- Plug-and-play simplicity - USB-C or HDMI, minimal fuss
- Lightweight and travel-ready - packs into your bag, ready to go
- Fit for tomorrow - touchscreen, wireless charging, metal housing, and modern finishes
- Range of screen size options, from 13.3" to 17.3"
- Touchscreen and non-touchscreen options
- Backed by Verbatim quality, reliability, and 2-year warranty






Choose the Right Portable Monitor for your Needs

Use the table below to match your usage scenario and select the model that fits you best.

	Screen Size	Physical Size (mm)	Weight (g)	Touch Screen	Frame Type	Wireless Power supply	Other Features	Best For
49590	14"	322 x 205 x 12	540		Plastic		Built-in kick-stand; Full HD 1080p	Business professionals needing a secondary display on the go
49591	14"	329 x 209 x 12	860	✓	Aluminium	✗	Built-in kick-stand; Full HD 1080p	Presenters, creatives, and educators needing interactivity
49592	15.6"	357 x 224 x 12	980	✓	Aluminium		Built-in kick-stand; Full HD 1080p	Users needing larger touchscreen workspace
49593	17.3"	396 x 247 x 12	1540	✓	Aluminium	✗	Built-in kick-stand; Full HD 1080p	Designers, engineers, power users needing max screen area
32087	13.3"	300 x 200 x 13	925	✓	Aluminium	✓	Wireless Power Bank included; WUXGA Resolution	Remote workers and hybrid users wanting full wireless functionality
32088	14"	322 x 205 x 13	550	✓	Plastic	✓	Wireless Power Bank included; Full HD 1080p	Power users and digital nomads seeking flexibility
32405	14"	321 x 204 x 17	778	✓	Plastic		Built-in fold-out stand; Full HD 1080p	Students, teachers, and light travellers
32407	15.6"	356 x 222 x 17	973	✓	Plastic	✗	Built-in fold-out stand; Full HD 1080p	Mobile professionals wanting bigger screen in light chassis
32406	15.6"	356 x 222 x 17	682		Plastic		Built-in fold-out stand; Full HD 1080p	Professionals needing more screen space
32408	2 x 15.6"	356 x 223 x 27	1748	✗	Plastic	✗	Integrated gravity sensor allows the top screen to auto-rotate when folded	Multi-taskers, financial analysts, and presenters needing dual-screen mobility



Life works better with Verbatim, no matter what you're doing or where you are.



Portable Monitor



Full HD 1080p - 14"

Extra screen space on the go.

The PM-14 is a sleek 14-inch Full HD portable monitor designed for professionals, students, and remote workers who need additional screen space on the go. Its IPS panel delivers wide 178° viewing angles and vibrant colours, making it perfect for presentations, spreadsheets, and video streaming.

Ultra-slim and lightweight (~540 g), the PM-14 easily fits into backpacks or briefcases, ensuring it's ready whenever you need it. Its robust connectivity options, including USB-C and HDMI, allow seamless integration with laptops, tablets, and other devices.

Ideal for business professionals, remote learners, and travellers, the PM-14 provides the convenience of a secondary display without adding bulk. Its built-in kickstand ensures stability on any surface, while the integrated speakers provide audio support for multimedia applications.

Features

- 14" Full HD (1920×1080) IPS panel
- Ultra-thin & lightweight (~540 g)
- USB-C (x2) and HDMI connectivity
- Built-in stereo speakers
- Built-in kickstand & tilt
- Wide 178° viewing angles
- 2-year warranty



Portable Monitor - 14"



Product Specifications

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
49590	PM-14 Portable Monitor 14" Full HD 1080p	0 23942 49590 1	(02)00023942495901(37)05(91)491	50023942 49590 6

Specifications	
Panel Type	IPS Technology
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	6 ms
Response Time (Typical Tr+Tf)	11+9 ms
Response Time (BtW)	10 ms
View Angles LR, UD (CR>10)	H 178° / V 178° (min)
Display Colours	16.7m colours

Logistic Information	
Product dimensions LxWxH	322 x 205 x 12mm
Product weight	540g
Pack dimensions LxWxH	256 x 430 x 58mm
Pack weight	1690g
Outer Carton Dimensions	445 x 318 x 295mm
Outer Carton Weight	9250g
Pcs / Outer Carton	5
Layers per Pallet	8
Outer Cartons / Layer	3
Units per Pallet	120

Specifications	
Input 1	USB-C x 2 (full-featured USB-C)
Input 2	Standard HDMI (1.4) x 1
Output	USB-A 2.0 x 1
Output	3.5mm audio jack
Supports	HDR, FreeSync, Low Blue Light
Stand	Built-in kickstand, Tilt from 0° up to 85°
Frame Material	Plastic

Pack Contents

- Verbatim PM-14 Portable Monitor 14"
- USB-C to USB-C Cable -1.0m
- HDMI-HDMI Cable -1.5m
- USB-A to USB-C Cable -1.5m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide



System Requirements


- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS



verbatim.com





Portable Touchscreen Monitors



Full HD 1080p - 14", 15.6", 17.3"

Premium Productivity at your fingertips


Experience productivity at your fingertips with the Verbatim Metal Series Touchscreen Portable Monitors. Available in 14", 15.6", and 17.3" sizes, these models combine crystal-clear Full HD resolution with a 10-point capacitive touchscreen for intuitive control. Swipe, tap, and pinch-to-zoom directly on screen for a more natural, interactive workflow.

Crafted from durable aluminium alloy, the Metal Series offers a premium, professional look that's both lightweight and robust-ideal for travel or hot-desking. Each model features dual USB-C and Mini HDMI connectivity for seamless compatibility with laptops, tablets, and smartphones.

Whether you're presenting, sketching, editing, or teaching, these monitors enhance engagement and streamline multitasking. Choose the size that best fits your workspace, from the ultra-portable 14" to the expansive 17.3" for creative and engineering professionals.

Features

- Available in 14", 15.6", and 17.3" Full HD (1080p) touchscreen sizes
- 10-point multi-touch functionality
- Premium aluminium alloy housing
- USB-C and Mini HDMI connectivity
- Includes Neoprene protective sleeve
- Ideal for creatives, educators, and professionals needing interactivity and screen space



Portable Touchscreen Monitor - 14"



Product Specifications

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
49591	PMT-14 Portable Touchscreen Monitor 14" Full HD 1080p	0 23942 49591 8	(02)00023942495918(37)05(91)491	50023942 49591 3

Specifications	
Panel	Capacitive Touch Panel, IPS Technology
Panel Type	10-point multi-touch with G+FF technology
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	6 ms
Response Time (Typical Tr+Tf)	11+9 ms
Response Time (BtW)	10 ms
View Angles LR, UD (CR>10)	H 178° / V 178° (min)

Specifications	
Display Colours	16.7m colours
Input 1	USB-C x 2 (full-featured USB-C)
Input 2	Standard HDMI (1.4) x 1
Output	USB-A 2.0 x 1
Output	3.5mm audio jack
Supports	HDR, FreeSync, Low Blue Light
Stand	Built-in kickstand, Tilt from 0° up to 85°
Frame Material	Aluminium

Logistic Information	
Product dimensions LxWxH	329 x 209 x 12mm
Product weight	860g
Pack dimensions LxWxH	255 x 426 x 58mm
Pack weight	2050g
Outer Carton Dimensions	445 x 310 x 278mm
Outer Carton Weight	11050g
Pcs / Outer Carton	5
Layers per Pallet	5
Outer Cartons / Layer	9
Units per Pallet	225

Pack Contents

- Verbatim PMT-14 Portable Monitor 14"
- USB-C to USB-C Cable -1.0m
- HDMI-HDMI Cable -1.5m
- USB-A to USB-C Cable -1.5m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide



System Requirements


- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS



verbatim.com



Portable Touchscreen Monitor – 15.6"



Product Specifications

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
49592	PMT-15 Portable Touchscreen Monitor 15.6" Full HD 1080p	0 23942 49592 5	(02)00023942495925(37)05(91)491	50023942 49592 0

Specifications	
Panel	Capacitive Touch Panel, IPS Technology
Panel Type	10-point multi-touch with G+FF technology
Contrast (typical)	800:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	6 ms
Response Time (Typical Tr+Tf)	14+11 ms
Response Time (BtW)	10 ms
View Angles LR, UD (CR>10)	H 178° / V 178° (min)

Specifications	
Display Colours	16.7m colours
Input 1	USB-C x 2 (full-featured USB-C)
Input 2	Standard HDMI (1.4) x 1
Output	USB-A 2.0 x 1
Output	3.5mm audio jack
Supports	HDR, FreeSync, Low Blue Light
Stand	Built-in kickstand, Tilt from 0° up to 85°
Frame Material	Aluminium

Logistic Information	
Product dimensions LxWxH	357 x 224 x 12mm
Product weight	980g
Pack dimensions LxWxH	265 x 463 x 58mm
Pack weight	2420g
Outer Carton Dimensions	480 x 310 x 287mm
Outer Carton Weight	12900g
Pcs / Outer Carton	5
Layers per Pallet	5
Outer Cartons / Layer	6
Units per Pallet	150

Pack Contents

- Verbatim PMT-15 Portable Monitor 15.6"
- USB-C to USB-C Cable -1.0m
- HDMI-HDMI Cable -1.5m
- USB-A to USB-C Cable -1.5m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide



System Requirements

- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS



verbatim.com



Portable Touchscreen Monitor - 17.3"



Product Specifications

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
49593	PMT-17 Portable Touchscreen Monitor 17.3" Full HD 1080p	0 23942 49593 2	(02)00023942495932(37)05(91)491	50023942 49593 7

Specifications	
Panel	Capacitive Touch Panel, IPS Technology
Panel Type	10-point multi-touch with G+FF technology
Contrast (typical)	1200:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	6 ms
Response Time (Typical Tr+Tf)	11+9 ms
Response Time (BtW)	10 ms
View Angles LR, UD (CR>10)	H 178° / V 178° (min)

Specifications	
Display Colours	16.7m colours
Input 1	USB-C x 2 (full-featured USB-C)
Input 2	Standard HDMI (1.4) x 1
Output	USB-A 2.0 x 1
Output	3.5mm audio jack
Supports	HDR, FreeSync, Low Blue Light
Stand	Built-in kickstand, Tilt from 0° up to 85°
Frame Material	Aluminium

Logistic Information	
Product dimensions LxWxH	396 x 247 x 12mm
Product weight	1540g
Pack dimensions LxWxH	311 x 522 x 58mm
Pack weight	3000g
Outer Carton Dimensions	540 x 310 x 330mm
Outer Carton Weight	15800g
Pcs / Outer Carton	5
Layers per Pallet	4
Outer Cartons / Layer	6
Units per Pallet	120

Pack Contents

- Verbatim PMT-17 Portable Monitor 17.3"
- USB-C to USB-C Cable -1.0m
- HDMI-HDMI Cable -1.5m
- USB-A to USB-C Cable -1.5m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide



System Requirements


- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS



verbatim.com





Portable Touchscreen Monitor



WUXGA - 13.3" - Wireless Power

High-resolution visuals.

The 13.3" WUXGA Wireless monitor delivers high-resolution visuals with interactive touchscreen capabilities, perfect for creative professionals and collaborative teams. Its wireless power supply reduces cable clutter, making it ideal for mobile workstations or temporary setups.

Lightweight and portable, it travels effortlessly while providing rich, clear imagery for design, presentations, or multitasking. USB-C connectivity ensures seamless integration with laptops, tablets, and other devices.

This model is suited for designers, educators, or professionals who need a compact, interactive display with wireless power convenience. Its responsive touch interface and portable design allow work or play anywhere, anytime.

Features

- 13.3" WUXGA resolution (1600x1200)
- Touchscreen
- Wireless power supply
- USB-C connectivity
- Slim, portable design
- Includes Neoprene protective sleeve
- Ideal for designers, educators or professionals



Portable Touch Monitor ALU - 13.3"



Product Specifications

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
32087	Portable Touch Monitor 13.3" WUXGA with Wireless Power supply inc. 5000mAh Power Bank	0 23942 32087 6	(02)00023942320876(37)06(91)491	50023942 32087 1

Specifications	
Panel	Capacitive Touch Panel
Panel Type	10-point multi-touch with G+G technology
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1200
Brightness (typical)	250 cd/m ²
Aspect Ratio	16:10
Response Time (Typical GTG)	6 ms
Response Time (Typical Tr+Tf)	14+11 ms
Response Time (BtW)	10 ms
View Angles LR, UD (CR>10)	H 178° / V 178° (min)

Specifications	
Display Colours	16.7m colours
Input 1	USB-C x 2 (full-featured USB-C)
Input 2	Standard HDMI (1.4) x 1
Output	USB-A 2.0 x 1
Output	3.5mm audio jack
Output	Integrated Speaker 2 x 2W (4Ω)
Supports	HDR, FreeSync, Low Blue Light
Stand	Built-in kickstand, Tilt from 0° up to 85°
Frame Material	Aluminium

Logistic Information	
Product dimensions LxWxH	300 x 200 x 13mm
Product weight	925g
Pack dimensions LxWxH	253 x 425 x 56mm
Pack weight	2170g
Outer Carton Dimensions	440 x 422 x 282mm
Outer Carton Weight	14100g
Layers per Pallet	4
Outer Cartons / Layer	6
Units per Pallet	144

Pack Contents

- Verbatim Portable Monitor 13.3"
- USB-C to USB-C Cable -1.0m
- HDMI-HDMI Cable -1.5m
- USB-A to USB-C Cable -1.5m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide
- Power Bank 5,000mAh
- Metal Ring
- USB-C to USB-C cable - 30cm
- QSG (Power Bank)

System Requirements

- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS



verbatim.com





Portable Touchscreen Monitor



Full HD 1080p - 14" - Wireless Power

High-resolution visuals.

Take your workflow wireless with the 14" Full HD Touchscreen Monitor featuring integrated wireless power support. Designed for digital nomads, remote workers, and flexible workspaces, this monitor eliminates cable clutter and is easy to set up anywhere.

Its lightweight frame keeps the monitor highly portable, making it ideal for users who need mobility without compromising on screen size or Full HD clarity. The responsive touchscreen enables intuitive control, allowing you to tap, swipe, and interact directly with content for presentations, note-taking, or creative tasks.

The built-in adjustable stand ensures stability on any surface, letting you position the monitor at the perfect angle for comfort and productivity. With its combination of portability, touchscreen functionality, and wireless power support, this monitor is a practical solution for professionals and students who are always on the move.

Features

- 14" Full HD (1080p) touchscreen
- Lightweight housing- ideal for portability and travel
- Wireless power supply support
- Adjustable integrated stand for flexible positioning
- Perfect for mobile professionals, students, and flexible workspaces



Portable Touch Monitor - 14"



Product Specifications

Reorder No.	Description	Barcode	Inner Carton Barcode	Outer Carton Barcode
32088	Portable Touch Monitor 14" Full HD 1080p with Wireless Power supply inc. 5000mAh Power Bank	0 23942 32088 3	(02)00023942320883(37)06(91)491	50023942 32088 8

Specifications	
Panel	TFT LCD Panel on cell Touch Structure
Panel Type	10-point multi-touch
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	6 ms
Response Time (Typical Tr+Tf)	14+11 ms
Response Time (BtW)	10 ms
View Angles LR, UD (CR>10)	H 178° / V 178° (min)

Specifications	
Display Colours	16.7m colours
Input 1	USB-C x 2 (full-featured USB-C)
Input 2	Standard HDMI (1.4) x 1
Output	USB-A 2.0 x 1
Output	3.5mm audio jack
Output	Integrated Speaker 2 x 1W (4Ω)
Supports	IPS, HDR, FreeSync, Low Blue Light
Stand	Built-in kickstand, Tilt from 0° up to 85°
Frame Material	Plastic

Logistic Information	
Product dimensions LxWxH	322 x 205 x 13mm
Product weight	550g
Pack dimensions LxWxH	256 x 430 x 58mm
Pack weight	1860g
Outer Carton Dimensions	460 x 422 x 300mm
Outer Carton Weight	12615g
Layers per Pallet	4
Outer Cartons / Layer	6
Units per Pallet	132

Pack Contents

- Verbatim Portable Monitor 14"
- USB-C to USB-C Cable -1.0m
- HDMI-HDMI Cable -1.5m
- USB-A to USB-C Cable -1.5m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide
- Power Bank 5,000mAh
- Metal Ring
- USB-C to USB-C cable - 30cm
- QSG (Power Bank)

System Requirements


- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode


OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS



verbatim.com





Portable Touchscreen Monitors



Full HD 1080p - 14", 15.6" - Light Series

Flexibility and portability in one.

The Verbatim Portable Touchscreen Monitor Light Series offers all the functionality of our premium touchscreen monitors in a slimmer, lighter, and more travel-friendly design. Available in 14" and 15.6" sizes, this series is made for users who need a reliable, high-quality second screen that's easy to carry wherever work or study takes them.

With its lightweight build and slim profile, the Light Series is perfectly suited for mobile professionals, hybrid workers, and students. It fits easily into most laptop bags and backpacks, making it simple to set up a productive dual-screen workspace on the move, whether in the office, classroom, or café.

The responsive 10-point touchscreen delivers smooth and accurate interaction, while the USB-C single-cable connection ensures quick and clutter-free setup by handling both power and video. Whether you're extending your display, giving a presentation, or multitasking on the go, the Light Series provides the flexibility and performance you need in a truly portable form.

Features

- Available in 14" and 15.6" Full HD (1080p) touchscreen models
- Lightweight, slim design for portability
- USB-C single-cable connection for power and video
- Foldable stand for convenient setup and flexible viewing angles
- Perfect for mobile professionals, hybrid workers, and students who need a lightweight, travel-ready dual-screen solution



[verbatim.com](https://www.verbatim.com)

Portable Touch Monitor - 14" Light



Product Specifications

Reorder No.	Description	Barcode	Outer Carton Barcode
32405	Portable Touch Monitor 14" Full HD 1080p Light	0 23942 32405 8	50023942324053

Specifications	
Panel	IPS Technology
Panel Type	10-point capacitive multi-touch
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	10 ms
Response Time (Typical Tr+Tf)	20 ms
Response Time (BtW)	20 ms
View Angles LR, DU (CR>10)	H 89° / V 89° (min)

Specifications	
Refresh Rate	60Hz
Input 1	USB-C1 (full-featured), USB-C2 (for power supply only)
Input 2	Mini HDMI x 1
Output	3.5mm audio jack
Output	Integrated Speaker
Stand	Built-in kickstand, Tilt from 0° up to 85°
Wall Mounting	2 x screw threads suitable for two-point mounting brackets
Frame Material	Plastic

Logistic Information	
Product dimensions LxWxH	321 x 204 x 17mm
Product weight	778g
Pack dimensions LxWxH	280 x 463 x 58mm
Pack weight	1830g
Units per Outer Carton	6
Outer Carton Dimensions	520 x 440 x 330mm
Outer Carton Weight	13138g
Layers per Pallet	3
Outer Cartons / Layer	4
Units per Pallet	72

Pack Contents

- Verbatim Portable Monitor 14"
- USB-C to USB-C Cable -1.0m
- miniHDMI-HDMI Cable -1.0m
- USB-A to USB-C Cable -1.0m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide



System Requirements


- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode
- For a direct USB-C connection, a USB-C to USB-C cable with a minimum transfer rate of 10 Gbit/s (USB 3.2 Gen 2x1) is required (included).

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS



verbatim.com



Portable Touch Monitor - 15.6" Light



Product Specifications

Reorder No.	Description	Barcode	Outer Carton Barcode
32407	Portable Touch Monitor 15.6" Full HD 1080p Light	0 23942 32407 2	50023942324077

Specifications	
Panel	IPS Technology
Panel Type	10-point capacitive multi-touch
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	10 ms
Response Time (Typical Tr+Tf)	20 ms
Response Time (BtW)	20 ms
View Angles LR, DU (CR>10)	H 89° / V 89° (min)

Specifications	
Refresh Rate	60Hz
Input 1	USB-C1 (full-featured), USB-C2 (for power supply only)
Input 2	Mini HDMI x 1
Output	3.5mm audio jack
Output	Integrated Speaker
Stand	Built-in kickstand, Tilt from 0° up to 85°
Wall Mounting	2 x screw threads suitable for two-point mounting brackets
Frame Material	Plastic

Logistic Information	
Product dimensions LxWxH	356 x 222 x 17mm
Product weight	973g
Pack dimensions LxWxH	280 x 463 x 58mm
Pack weight	2028g
Units per outer carton	6
Outer Carton Dimensions	520 x 440 x 330mm
Outer Carton Weight	14314g
Layers per Pallet	3
Outer Cartons / Layer	4
Units per Pallet	72

Pack Contents

- Verbatim Portable Monitor 15.6"
- USB-C to USB-C Cable -1.0m
- miniHDMI-HDMI Cable -1.0m
- USB-A to USB-C Cable -1.0m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide



System Requirements


- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode
- For a direct USB-C connection, a USB-C to USB-C cable with a minimum transfer rate of 10 Gbit/s (USB 3.2 Gen 2x1) is required (included).

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices included); Android OS



verbatim.com





Portable Monitor



Full HD 1080p - 15.6" - Light Series

Flexibility and portability in one.

The 15.6" LIGHT Series monitor offers an expanded workspace for users who need larger displays without sacrificing portability. Its Full HD IPS panel delivers clear visuals and wide viewing angles.

Lightweight and slim, this model is ideal for professionals, educators, and content creators who require a larger screen for productivity, presentations, or media editing. USB-C and HDMI connectivity simplify integration with laptops and other devices.

Ideal for those needing extra screen real estate in a portable format, this monitor balances size, performance, and convenience.

Features

- 15.6" Full HD (1080p)
- Lightweight, slim design for portability
- USB-C single-cable connection for power and video
- Foldable stand for convenient setup and flexible viewing angles
- Perfect for mobile professionals, hybrid workers, and students who need a lightweight, travel-ready dual-screen solution



Portable Monitor - 15.6" Light



Product Specifications

Reorder No.	Description	Barcode	Outer Carton Barcode
32406	Portable Monitor 15.6" Full HD 1080p Light	0 23942 32406 5	50023942324060

Specifications	
Panel	IPS Technology
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1080
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	10 ms
Response Time (Typical Tr+Tf)	20 ms
Response Time (BtW)	20 ms
View Angles LR, DU (CR>10)	H 89° / V 89° (min)

Specifications	
Refresh Rate	60Hz
Input 1	USB-C1 (full-featured), USB-C2 (for power supply only)
Input 2	Mini HDMI x 1
Output	3.5mm audio jack
Output	Integrated Speaker
Stand	Built-in kickstand, Tilt from 0° up to 85°
Wall Mounting	2 x screw threads suitable for two-point mounting brackets
Frame Material	Plastic

Logistic Information	
Product dimensions LxWxH	356 x 222 x 17mm
Product weight	682g
Pack dimensions LxWxH	280 x 463 x 58mm
Pack weight	1736g
Units per outer carton	6
Outer Carton Dimensions	510 x 460 x 325mm
Outer Carton Weight	13246g
Layers per Pallet	3
Outer Cartons / Layer	4
Units per Pallet	72

Pack Contents


- Verbatim Portable Monitor 15.6"
- USB-C to USB-C Cable -1.0m
- miniHDMI-HDMI Cable -1.0m
- USB-A to USB-C Cable -1.0m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide

System Requirements

- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode
- For a direct USB-C connection, a USB-C to USB-C cable with a minimum transfer rate of 10 Gbit/s (USB 3.2 Gen 2x1) is required (included).

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices included); Android OS



verbatim.com



Dual Portable Monitor



Full HD 1080p - 15.6" Dual Screen

Flexibility and portability in one.

The Dual Monitor Essentials setup provides two 15.6" Full HD displays in a single portable solution. It is perfect for professionals requiring double the workspace, such as traders, designers, and content creators.

USB-C and HDMI connectivity make setup quick and compatible with multiple devices, while its portable design ensures easy transport between offices, classrooms, or temporary workstations.

Ideal for users who need enhanced multitasking capabilities and extended screen space without permanent installations, the dual monitor solution brings productivity and convenience together in one package.

Features

- Dual 15.6" Full HD (1080p) IPS Panels
- 178° viewing angle with 16:9 aspect ratio
- USB-C single-cable connection for power and video
- Supports Extend*, Duplicate, and Ultra Display modes (*Windows only)
- Auto-rotation support for top screen when folded
- Ideal for productivity and presentations



Dual Portable Monitor - 15.6"



Product Specifications

Reorder No.	Description	Barcode	Outer Carton Barcode
32408	Portable Dual Monitor 15.6" Full HD 1080p Light	0 23942 32408 9	50023942324084

Specifications	
Panel	IPS Technology
Contrast (typical)	1000:1
Resolution (H x V)	1920 x 1080 x 2
Brightness (typical)	220-250 cd/m ²
Aspect Ratio	16:9
Response Time (Typical GTG)	10 ms
Response Time (Typical Tr+Tf)	20 ms
Response Time (BtW)	20 ms
View Angles LR, DU (CR>10)	H 89° / V 89° (min)

Specifications	
Refresh Rate	60Hz
NTSC	45%
Input 1	USB-C x 2 (full-featured)
Input 2	Mini HDMI x 1
Output	Integrated Speaker 2 x 1W
Gravity Sensor	Yes (top screen only, supports auto-rotation when folded)
Wall Mounting	VESA 75 x 75mm
Frame Material	Plastic

Logistic Information	
Product dimensions LxWxH	356 x 222 x 27mm
Product weight	1750g
Pack dimensions LxWxH	280 x 463 x 73mm
Pack weight	2997g
Outer Carton Dimensions	510 x 380 x 325mm
Outer Carton Weight	13627g
Layers per Pallet	3
Outer Cartons / Layer	5
Units per Pallet	60

Pack Contents

- Verbatim Portable Dual Monitor 15.6"
- USB-C to USB-C Cable -1.0m
- miniHDMI-HDMI Cable -1.0m
- AU power supply
- Neoprene Protection Sleeve
- Quick Start Guide

System Requirements

- HDMI (power supply required- included)
- USB-C device supporting DisplayPort Alt Mode
- For a direct USB-C connection, a USB-C to USB-C cable with a minimum transfer rate of 10 Gbit/s (USB 3.2 Gen 2x1) is required (included).

OS Compatibility

- Windows 8/10/11; Mac OS
- iOS (Adaptor required for Lightning devices- not included); Android OS

